Eastern Meadowlark (Sturnella magna)

WINTER: Fairly Common Resident. See Remarks section for CBC data.

SUMMER: Common Resident.

MIGRATION:

Spring: Data insufficient. Possible migrants from late February to mid-March (Hall 1983, Kiff et al. 1986).

Fall: Data insufficient. Possible migrants from late September into October (Hall 1983, HS).

REMARKS:

Breeding Bird Survey (Koch and Hurley 1972): Beech Fork Lake, Wayne Co., WV (29 May 1969): 50 Stops, 25 Mile. Number of Stops Recorded: 8. Total Birds: 10.

Breeding Bird Survey (Koch 1974): McClintic WMA, Mason Co., WV (29 May 1971): 50 Stops, 12.25 Mile. Number of Stops Recorded: 2. Total Birds: 3.

CHRISTMAS BIRD COUNT DATA

Huntington, WV (1940 to 2001): Recorded on 80% of Counts. Total Birds: 935. Range: 1 to 108. Mason County, WV (1953 to 1976): Recorded on 100% of Counts. Total Birds: 481. Range: 1 to 224. Ona, WV (1962 to 2001): Recorded on 98% of Counts. Total Birds: 1,938. Range: 1 to 199. Huntington, WV (1940 to 2001): Number of Counts: 61. Birds/Party Hr.: <1.0. Party Hr./Bird: 3.2.

Huntington, WV (1940 to 2001): Number of Counts: 61. Birds/Party Hr.: <1.0. Party Hr./Bird: 3.2. Mason County, WV (1953 to 1976): Number of Counts: 18. Birds/Party Hr.: 1.4. Party Hr./Bird: 0.7. Ona, WV (1962 to 2001): Number of Counts: 40. Birds/Party Hr.: 1.1. Party Hr./Bird: 0.9.