The REDSTART

VOLUME 80, NUMBER 3

JULY, 2013



2013 - The Brooks Bird Club, Inc.

Founded September 1932 Named in honor of A. B. Brooks, Naturalist

OFFICERS

President President Elect Vice President Imm. Past President Administrator Treasurer	Stuart Robbins, 8806 Stephens Rd., Laurel, MD 20723 Carol McCullough, 1119 Queensbury St., Pittsburgh, PA 15205 James Triplett, 1198 Fledderjohn Rd., Charleston, WV 25314 John Jacobs, Rt. 1, Box 132, Independence, WV 26374 Carl Slater, 57290 Mehlman Rd., Bellaire, OH 43906 Scott Emrick, 52713 SR 800, Jerusalem, OH 43747	301-725-6572 412-921-6873 304-344-3554 304-864-6460 740-635-9246 740-472-5212
Recording Secretary Membership Secretary	Janice Emrick, 52713 SR 800, Jerusalem, OH 43747 Juanita Slater, 57290 Mehlman Rd., Bellaire, OH 43906	740-472-5212 740-635-9246
Editor <i>The Redstart</i>	A. R. Buckelew Jr., 111 Logan Ct., Bethany, WV 26032	304-829-4392
Editor The Mail Bag	Ryan Tomazin, 348 Station St., Apt. 7, Bridgeville, PA 15017	412-220-9726
	BOARD OF TRUSTEES	
Serve Through:		
2013	Sally Egan, 910 Sunset Dr., Bridgeport, WV 26330	304-842-9511
	John Fichtner, 16601 Parkersburg Rd., Elizabeth, WV 26143	304-474-3899
	Barbara Hohman, 209 Ellsworth Dr., Marietta, OH 45750	740-374-5548
2014	Matthew Orsie, 741 Pheasant Hill Rd., Summit Point, WV 25446	304-725-0973
	Cynthia Slater, 2310 Cowling Rd., Scottdale, PA 15683	724-570-8502
	Ryan Tomazin, 348 Station St., Apt. 7, Bridgeville, PA 15017	412-220-9726
2015	Thomas Fox, 1447 Sycamore Rd., Millstone, WV 25261	304-354-7686
	Larry Helgerman, 825 Academy Pl., Pittsburgh, PA 15243	412-508-0321
	Frederick McCullough, 1119 Queensbury St., Pittsburgh, PA 15205	412-921-6873
	ADVISORS	
	A. R. Buckelew Jr., 111 Logan Ct., Bethany, WV 26032	304-829-4392
	Greg E. Eddy, 2301 N. Tracy St., Alexandria, VA 22311	703-980-3751
	Robert Rine, 1269 National Rd., Apt. 51, Wheeling, WV 26003	304-243-8766
	COMMITTEE CHAIRPERSONS	
Budget	James Triplett, 1198 Fledderjohn Rd., Charleston, WV 25314	304-344-3554
Research	Greg E. Eddy, 2301 N. Tracy St., Alexandria, VA 22311	703-980-3751
Foray	Carol McCullough, 1119 Queensbury St., Pittsburgh, PA 15205	412-921-6873
Foray Director	Carol McCullough, 1119 Queensbury St., Pittsburgh, PA 15205	412-921-6873

Juanita Slater, 57290 Mehlman Rd., Bellaire, OH 43906

Dorothy Broemsen, 340 Peter's Run Rd., Wheeling, WV 26003

Cynthia Ellis, Rt. 1, Box 163, Red House, WV 25168

Wilma Jarrell, HC 68, Box 10, Wileyville, WV 26186

mfox@brooksbirdclub.org

Matthew Fox, 3188 Morgantown Rd., Sturgis, MS 39769

Backyard Sanctuary

Club Library

Historian

Webmaster

740-635-9246

304-586-4135

304-242-4498

304-889-2786

662-465-6293

The REDSTART

VOLUME 80, NUMBER 3 JULY, 2013

Contents	Page
The 2012 Cabwaylingo State Forest Sortie, Wayne County, West Virginia	
The 2012 Sortie Bird List, Cabwaylingo State Forest, Wayne County	
West Virginia	
—Maryanne Kraynanski	91
Plants of the 2012 Sortie, Cabwaylingo State Forest, Wayne County	
West Virginia	
—Kevin Campbell	94
17th Report of the West Virginia Bird Records Committee: March 2012	102
Field Notes	
—Casey Rucker	107
Erratum	

Editorial Staff

Editor • Albert R. Buckelew Jr., Department of Biology, Bethany College, Bethany, WV 26032

Associate Editor • Marjorie Keatley, Mountwest Community and Technical College, Huntington, WV 25701

Field Notes Editor • Casey Rucker, P.O. Box 2, Seneca Rocks, WV 26884

Advisory Editorial Board • Greg E. Eddy, Joey Herron, Matthew Orsie, James D. Phillips

The Redstart is published quarterly in January, April, July, and October at P.O. Box 4077, Wheeling, WV 26003. The journal of the Brooks Bird Club, it is mailed to all members in good standing. Nonmember subscription price is \$17. Individual copies are \$4, except the Foray issue, which is \$8. Changes of address and requests for back issues should be mailed to P.O. Box 4077, Wheeling, WV 26003. Articles for publication and books for review should be mailed to the editor. Printed on recycled paper.

ISSN: 0034-2165

The 2012 Sortie Bird List, Cabwaylingo State Forest Wayne County, West Virginia

Maryanne Kraynanski

The 2012 Sortie was held at Cabwaylingo State Forest, June 10 through June 16. Participants concentrated on West Virginia Breeding Bird Atlas priority blocks in the southeastern part of Wayne County. Sortie participants included Kevin Campbell, Dawn Fox, Thomas Fox, Christopher Gatens, and Maryanne Kraynanski.

The last Sortie held at this site in 2002 included singing male census studies and breeding bird surveys. See *The Redstart*, Vol. 70, No. 3, July 2003. In 2012 all of our efforts went into atlasing and our plant list. The following list of birds was compiled mainly in atlas blocks and the State Forest areas near camp. In 2002 participants found 93 species covering most of Wayne County compared with the 77 species we found in 2012, with fewer participants and the area restricted to camp and atlas priority blocks. Abundance terms used are the standard terms used by the BBC for studies of a short duration such as Sorties and Forays.

Very common—Seen in large numbers every day in all appropriate habitats.

Common—Seen in appropriate habitat every day without any special effort.

Uncommon—Seen in appropriate habitat only with a lot of effort.

Rare—One or two only seen in the entire study region during the study period.

Mallard—Rare.

Wild Turkey—Uncommon.

Turkey Vulture—Common.

 $\textbf{Red-shouldered}\, \textbf{Hawk} \color{red}\textbf{--} \textbf{Common}.$

 ${\bf Broad\text{-}winged\,Hawk} {\leftarrow} {\sf Rare}.$

Red-tailed Hawk—Rare.

Mourning Dove—Common.

Yellow-billed Cuckoo—Common.

Barred Owl-Rare

Chimney Swift—Rare.

 ${\bf Ruby-throated\, Humming bird} \hbox{--} Uncommon.$

Belted Kingfisher—Uncommon.

Red-bellied Woodpecker—Common.

Downy Woodpecker—Common.

Hairy Woodpecker—Common.

Northern Flicker—Common.

Pileated Woodpecker—Common.

Eastern Wood-Pewee—Common.

Acadian Flycatcher—Common.

Great Crested Flycatcher—Rare.

Eastern Kingbird—Rare.

White-eyed Vireo—Common.

Yellow-throated Vireo—Uncommon.

Blue-headed Vireo—Rare.

Red-eyed Vireo—Common.

Blue Jay—Common.

American Crow—Very common.

Horned Lark—Uncommon. We found 15 Horned Larks at Breeden's Creek Road.

Tree Swallow—Uncommon.

Northern Rough-winged Swallow—Uncommon.

Barn Swallow—Common.

Carolina Chickadee—Common.

Tufted Titmouse—Very common.

White-breasted Nuthatch—Common.

Carolina Wren—Very common.

Blue-gray Gnatcatcher—Common.

Eastern Bluebird—Common.

Wood Thrush—Very common.

American Robin—Very common.

Gray Catbird—Common.

Northern Mockingbird—Common.

Brown Thrasher—Very common.

European Starling—Very common.

Cedar Waxwing—Uncommon.

Ovenbird—Very common.

Worm-eating Warbler—Rare.

Louisiana Waterthrush—Common.

Blue-winged Warbler—Common.

Black-and-white Warbler—Common

Swainson's Warbler—Rare.

Kentucky Warbler—Common.

Common Yellowthroat—Common.

Hooded Warbler—Common.

American Redstart—Very common.

Cerulean Warbler—Common.

Northern Parula—Common

Yellow Warbler—Common.

Yellow-throated Warbler—Common.

Prairie Warbler—Rare.

Black-throated Green Warbler—Uncommon.

Yellow-breasted Chat—Common.

Eastern Towhee—Common.

Chipping Sparrow—Common.

Field Sparrow—Uncommon.

Grasshopper Sparrow—Rare.

Song Sparrow—Very Common.

Summer Tanager—Rare.

Scarlet Tanager—Very common.

Northern Cardinal—Very common.

Indigo Bunting—Very common.

Red-winged Blackbird—Uncommon.

Common Grackle—Common.

Brown-headed Cowbird—Uncommon.

Orchard Oriole—Uncommon.

House Finch—Rare.

American Goldfinch—Common.

88 Red Toolhouse Road Yawkey, WV 25573

Plants of the 2012 Sortie, Cabwaylingo State Forest Wayne County, West Virginia

Kevin Campbell

The last Brooks Bird Club Sortie at Cabwaylingo State Forest in Wayne County, West Virginia, was in 2002 (See *The Redstart*, Vol.70, No. 3, July 2003). The following list includes additional plants, not found in 2002, observed during the 2012 Sortie. The Sortie territory primarily covered Cabwaylingo State Forest and the surrounding southeastern part of Wayne County. The primary purpose of the Sortie was to carry out breeding bird atlas work. We restricted our plant survey to atlas areas. Christopher Gatens and Dawn Fox helped to compile the plant list.

The Sortie area geology is primarily sandstone based. Elevations ranged from 600 feet along the Tug Fork River to 1,500 feet toward Mingo County. Interesting plants found this week included Chain Fern, Roundleaf Catchfly, Goldenseal, Downy Heuchera, Ginseng, Giant Cane, and Whorled Pogonia. The plants are listed phylogenetically according to Gleason and Cronquist (1991) with corrections of nomenclature according to Harmon et al. (2006). Common name usage follows that of Harmon et al. (2006). Holmgren (1998) was useful for identification.

DENNSTAEDTIACEAE

Dennstaedtia punctilobula Pteridium aquilinum var. latiusculum

PINACEAE

Picea abies Pinus rigida

CUPRESSACEAE

Thuja occidentalis

ARISTOLOCHIACEAE

Hexastylis virginica

RANUNCULACEAE

Anemone quinquefolia var. quenquefolia Ranunculus acris

BERBERIDACEAE

Berberis thunbergii

BRACKENFAMILY

Hay-scented Fern

Bracken

PINEFAMILY

Norway Spruce

Pitch Pine

CYPRESS FAMILIY

Arborvitae

BIRTHWORTFAMILY

Coltsfoot

CROWFOOT FAMILY

Wood Anemone Tall Buttercup

Tan Battereup

BARBERRYFAMILY

Japanese Barberry

MENISPERMACEAE

Menispermum canadense

URTICACEAE

Boehmeria cylindrica

JUGLANDACEAE

Carya cordiformis

FAGACEAE

Castanea mollissima Quercus muehlenbergii

CARYOPHYLLACEAE

Stellaria pubera Silene stellata

POLYGONACEAE

Rumex obtusifolius Polygonum persicaria

CLUSIACEAE

Hypericum hypericoides ssp. multicaule Hypericum punctatum

VIOLACEAE

Hybanthus concolor Viola rotundifolia

SALICACEAE

Salix sericea Salix pendula

BRASSICACEAE

Arabis laevigata Alliaria petiolata

ERICACEAE

Vaccinium stamineum Vaccinium pallidum Gaylussacia baccata **MOONSEED FAMILY**

Canada Moonseed

NETTLE FAMILY

False Nettle

WALNUT FAMILY

Bitternut Hickory

BEECHFAMILY

Chinese Chestnut

Yellow Oak

PINK FAMILY

Great Chickweed Starry Campion

SMARTWEED FAMILY

Broadleaf Dock Lady's Thumb

MANGOSTEEN FAMILY

St. Andrew's Cross

Dotted St. John's-Wort

VIOLETFAMILY

Green Violet

Roundleaf Violet

WILLOWFAMILY

Silky Willow

Weeping Willow

MUSTARDFAMILY

Smooth Rockcress

Garlic Mustard

HEATHFAMILY

Deerberry

Upland Low Blueberry

Black Huckleberry

EBENACEAE

Diospyros virginiana

HYDRANGEACEAE

Deutzia scabra

CRASSULACEAE

Sedum acre

SAXIFRAGACEAE

Saxifraga virginiensis Heuchera villosa Heuchera longiflora

ROSACEAE

Spiraea japonica
Duchesnea indica
Potentilla simplex
Potentilla recta
Rubus odoratus
Rubus occidentalis
Rubus phoenicolasius
Rubus allegheniensis
Agrimonia gryposepela

Rosa multiflora
Rosa carolina
Prunus persica
Prunus serotina
Pyrus communis
Pyrus malus

MIMOSACEAE

Albizia julibrissin

FABACEAE

Wisteria sp.
Robinia hispida
Trifolium pratense
Trifolium repens
Trifolium aureum
Trifolium campestre

EBONY FAMILY

Persimmon

HYDRANGEA FAMILY

Fuzzy Pride-of-Rochester

ORPINE FAMILY

Mossy Stonecrop

SAXIFRAGEFAMILY

Early Saxifrage Downy Heuchera

Long-flowered Alumroot

ROSEFAMILY

Japanese Spiraea Indian Strawberry Common Cinquefoil Upright Cinquefoil Flowering Raspberry Black Raspberry

Allegheny Blackberry

Tall Agrimony Multiflora Rose Pasture Rose

Wineberry

Peach

Wild Black Cherry

Pear Apple

MIMOSA fAMILY

Mimosa

PEAFAMILY

Wisteria
Rose Acacia
Red Clover
White Clover
Yellow Hop Clover
Low Hop Clover

Melilotus officinalis Melilotus albus Lespedeza cuneata Lablab purpureus Apios americana Amphicarpaea bracteata

LYTHRACEA

Lythrum salicaria

CORNACEAE

Cornus alternifolia Cornus amomum

CELASTRACEAE

Euonymus alatus

VITACEAE

Vitis aestivalis Vitis riparia

STAPHYLEACEAE

Staphylea trifolia

ACERACEAE

Acer nigrum

BALSAMINACEAE

Impatiens capensis

APIACEAE

Lepidium virginicum
Hydrocotyle americana
Cryptotaenia canadensis
Taenidia integerrima
Heracleum maximum

APOCYNACEAE

Vinca minor

Apocynum cannabinum

Yellow Sweet Clover White Sweet Clover

Sericea

Hyacinth Bean Groundnut Hog-Peanut

LOOSESTRIFEFAMILY

Purple Loosestrife

DOGWOOD FAMILY

Alternate-leaved Dogwood

Silky Cornel

STAFFTREE FAMILY

Burning Bush

VINEFAMILY

Summer Grape Riverbank Grape

BLADDERNUTFAMILY

Bladdernut

MAPLE FAMILY

Black Maple

JEWELWEED FAMILY

Spotted Touch-me-not

CARROTFAMILY

Wild Peppergrass

American Water Pennywort

Honewort

Yellow Pimpernel Cow-Parsnip

DOGBANE FAMILY

Periwinkle Indian Hemp

ASCLEPIADACEAE

Asclepias tuberosa

SOLANACEAE

Solanum carolinense

CONVOLVULACEAE

Calystegia sepium Ipomoea pandurata

POLEMONIACEAE

Phlox subulata

LAMIACEAE

Teucrium canadense Pycnanthemum incanum

PLANTAGINACEAE

Plantago major Plantago lanceolata

BUDDLEJACEAE

Buddleja davidii

SCROPHULARIACEAE

Veronica officinalis Agalinis tenuifolia

ACANTHACEAE

Justicia americana Ruellia caroliniensis

BIGNONIACEAE

Paulownia tomentosa Campsis radicans Bignonia capreolata

CAMPANULACEAE

Campanulastrum amercanum Triodanis perfoliata

MILKWEEDFAMILY

Butterfly Weed

NIGHTSHADEFAMILY

Horse-Nettle

MORNING-GLORY FAMILY

Hedge Bindweed Wild Potato Vine

Phlox Family

Mosspink

MINT FAMILY

American Germander Hoary Mountain-Mint

PLANTAIN FAMILY

Great Plantain

Narrow-Leaf Plantain

BUTTERFLY-BUSHFAMILY

Butterfly-Bush

FIGWORT FAMILY

Common Speedwell Slender Gerardia

ACANTHUS FAMILY

Water-Willow Wild-Petunia

BIGNONIA FAMILY

Paulownia

Trumpet-Creeper

Crossvine

BLUEBELLFAMILY

Tall Bellflower

Venus' Looking Glass

RUBIACEAE

Galium circaezans Galium aparine

CAPRIFOLIACEAE

Lonicera tatarica Lonicera japonica

DIPSACACEAE

Dipsacus fullonum

ASTERACEAE

Helianthus divaricatus Rudbeckia laciniata Verbesina occidentalis Verbesina alternifolia Coreopsis major Polymnia canadensis Ambrosia artemisiifolia

Ambrosia trifida

Matricaria matricariodes

Artemisia vulgaris

Arnoglossum atriplicifolia Symphyotrichum prenanthoides

Eurybia divaricatus
Erigeron strigosus
Conyza canadensis
Antennaria neglecta
Prenanthes serpentaria
Prenanthes trifoliata
Lactuca biennis
Hieracium venosum
Krigia biflora

Taraxacum officinale

JUNCACEAE

Juncus tenuis Juncus effusus

CYPERACEAE

Carex plantaginea

MADDER FAMILY

Wild Liquorice

Cleavers

HONEYSUCKLEFAMILY

Tartarian Honeysuckle Japanese Honeysuckle

TEASEL FAMILY

Common Teasel

ASTER FAMILY

Woodland Sunflower
Tall Coneflower

Small Yellow Crownbeard

Wing-Stem Wood Tickseed

White-flowered Leafcup

Common Ragweed
Giant Ragweed
Pineapple Weed

Mugwort

Pale Indian Plantain Crooked-Stem Aster White Wood Aster Daisy Fleabane Horseweed Field Pussytoes Gall-of-the-Earth Lion's Foot

Tall Blue Lettuce Rattlesnake Weed

Cvnthia

Common Dandelion

RUSHFAMILY

Yard Rush

Common Rush

SEDGEFAMILY

Plantain-leaved Sedge

Carex torta
Carex lurida

Twisted Sedge Sallow Sedge

POACEAE

Poa pratensis
Dactylis glomerata
Holcus lanatus
Phalaris arundinae

Phalaris arundinacea
Phleum pratensis
Bromus inermis
Bromus kalmii
Elymus hystrix

Dichanthelium clandestinum

Miscanthus sinensis Microstegium vimineum Sorghum helepense Andropogon virginicus

TYPHACEAE

Typha latifolia Typha angustifolia

LILIACEAE

Hemerocallis fulva Allium cernuum Allium sativum Maianthemum racemosum

AGAVACEAE

Yucca filamentosa

SMILACACEAE

Smilax herbacea Smilax tamnoides Smilax rotundifolia

DIOSCOREACEAE

Dioscorea quaternata

IRIDACEAE

Iris pseudacorus

GRASS FAMILY

Kentucky Bluegrass Orchard Grass

Velvet Grass

Reed Canary Grass

Timothy

Smooth Bromegrass Canada Bromegrass Bottle-Brush Grass Deertongue Grass

Silver Grass

Japanese Stilt Grass Johnson Grass Broomsedge

CATTAIL FAMILY

Broad-leaved Cattail Narrow-leaved Cattail

LILYFAMILY

Common Day Lily Wild Onion Garlic

Garne

False Solomon's Seal

AGAVEFAMILIY

Adam's Needle

CATBRIER FAMILIY

Carrion Flower
Hispid Greenbrier
Common Greenbrier

YAMFAMILY

Four-leaved Wild Yam

IRIS FAMILY Yellow Iris

ORCHID FAMILY Spreading Pogonia

References

Harmon, P. J., Grafton, W., & Ford-Werntz, D. (Eds.) (2006) *Checklist and atlas of the vascular flora of West Virginia*. Elkins, West Virginia: Division of Natural Resources.

Holmgren, N. H. (1998). *Illustrated companion to Gleason and Cronquist's manual*. Bronx, NY: New York Botanical Garden.

Gleason, H. A., & Cronquist, A. (1991). *Manual of vascular plants of northeastern United States and adjacent Canada*, 2nd edition. Bronx, NY: New York Botanical Garden.

311 Alleman Hill Rd. Walker, WV 26180 Hazwaste99@hotmail.com

17th Report of the West Virginia Bird Records Committee March 2013

The West Virginia Bird Records Committee (WVBRC) held its annual meeting in conjunction with the Brooks Bird Club Mid-winter Meeting at North Bend State Park on March 9, 2013. At the meeting, the committee confirmed prior member votes to accept six records submissions. Five accepted records were placed on the "West Virginia Birds With Less Than Five Records" list, and one record was placed on the "Hypothetical West Virginia Birds" list. After discussion, the committee also decided to restore six species to the Review List. In addition, the committee elected a new committee member to replace an outgoing member as well as new officers for the upcoming term.

Records Accepted:

Black Rail (*Laterallus jamaicensis*) (2012-1). On May 29, Sam Droege discovered a Black Rail near Capon Bridge, in Hampshire County. The bird attracted birders from far and near and remained through at least June 19. This is the second state record for this species, with the only prior record a hypothetical one by M. Dickinson in Bluefield, Mercer County, on April 28, 1955. Wil Hershberger also submitted a record for this bird, including an excellent recording of its call.

Western Kingbird (*Tyrannus verticalis*) (2012-2) On September 23, Deborah Hale spotted a Western Kingbird in Harpers Ferry, Jefferson County, and submitted a report to the committee. The bird was seen by others, including Carol Del-Colle, Teri Holland, Joette Borzik, and Bruni Haydl, through October 3. Matthew Orsie took great photographs of the bird. This is the first reviewed state record for this species.

Swainson's Hawk (*Buteo swainsoni*) (2012-3). On September 30, Fred Atwood spotted and photographed a Swainson's Hawk at Hogueland Road, Grant County. This is the second state record for this bird and the first since 1897, when a specimen was taken by M. M. Collins in White Sulphur Springs, Greenbrier County (Surber, 1889).

Eurasian Collared-Dove (*Streptopelia decaocto*) (2012-4). On December 16, Matthew Orsie saw and photographed a Eurasian Collared-Dove, first found by Tom Masters in Martinsburg, Berkeley County. This sighting is the second state record for this species. On June 24, 2006, Wendell Argabrite and Michael Griffith found a Eurasian Collared-Dove at Robert C. Byrd Locks and Dam, Mason County (WVBRC Record #2007-1) (WVBRC, 2008).

Le Conte's Sparrow (Ammodramus leconteii) (2012-5). On January 13, 2013, Michael Griffith submitted a report of a Le Conte's Sparrow he discovered the day before at Robert C. Byrd Locks and Dam, Mason County. David Patick also saw the sparrow on the same day. They first spotted the bird in a small birch tree, and then





104

watched it forage on the ground among cattail stalks. This record is the third for our state.

Mississippi Kite (*Ictina mississippiensis*) (2012-6). On May 13, 2012, Fred Atwood and Phillip Inskeep saw a Mississippi Kite at Hogueland Road, Grant County. Atwood's record was accepted for the West Virginia Hypothetical List, because there was no documentary evidence (photographs or recordings) and because the bird was seen by fewer than three people. There is one other hypothetical record for this bird, submitted by James Phillips, who saw the bird in Princeton, Mercer County, on August 11, 2003 (WVBRC Record #2003-1) (WVBRC, 2004).

Other business:

- The committee discussed a proposal by Matthew Orsie and Casey Rucker to restore additional birds to the West Virginia Review List. After discussion, the committee determined that the following birds should be restored to the Review List: Eurasian Wigeon, Wood Stork, King Rail, Laughing Gull, Least Tern, and Black-headed Grosbeak.
- 2. The committee discussed a proposal by Casey Rucker to explore posting online digital versions of records submitted to the committee. The committee approved the proposal, and will investigate posting records online.
- 3. Nominations were opened for a new committee member to replace outgoing member, Casey Rucker. Joey Herron was elected by the committee. In the event that Joey Herron did not accept the appointment, the committee elected James Phillips as the new member. The committee expressed gratitude to all members who have volunteered their service to the committee.
- 4. An election was held to select the chair and vice-chair. Robert Tallman as chair and Wil Hershberger as vice-chair were unanimously elected.
- 5. Secretary Wendell Argabrite requested that the committee urge West Virginia birders to use the submission report forms provided online by the Brooks Bird Club.
- 6. Recognition was also given to the Brooks Bird Club for their continued support and Web page service.

References Cited

- Surber, T. (1889). Birds of Greenbrier County, West Virginia. *Hawkeye Ornithologist and Oologist*, 2, 1-3.
- West Virginia Bird Records Committee. (2004). Eighth report of the West Virginia Bird Records Committee: August 2004. *The Redstart*, 71(4), 117-118.
- West Virginia Bird Records Committee. (2008). Twelfth report of the West Virginia Bird Records Committee: March 2008. *The Redstart*, 75(3), 113-114.

Submitted by Casey Rucker, chair, and West Virginia Bird Records Committee members: Matthew Orsie; Robert Tallman; Gary Rankin; Wil Hershberger; William Tolin; David Patick, Cynthia Ellis, alternate; and Wendell Argabrite, secretary.

Field Notes Winter Season

December 1, 2012 – February 28, 2013

Casey Rucker

December and January were warmer and wetter than usual in West Virginia, with record-breaking high temperatures at a number of locations during each month, according to the Northeast Regional Climate Center at Cornell University. In sharp contrast it was an unusually cold and dry February. During January most locations in the state enjoyed temperatures in the 70s, at least briefly, while Glady recorded the winter's lowest temperature for the state, at -11 degrees.

These notes were gathered from the National Audubon Society sponsored West Virginia Bird Listserv, from Christmas Bird Count (CBC) results, and from field notes submitted to the editor by e-mail and regular mail. The full content of the submitted notes by the contributors of the WV Listserv may be viewed by visiting the archives at the following web site: http://list.audubon.org/archives/wv-bird.html, and the results of the Christmas Bird Counts may be found at http://netapp.audubon.org/CBCObservation/CurrentYear/ResultsByCount.aspx.

On January 12, Michael Griffith and David Patick observed a **Le Conte's Sparrow** at Robert C. Byrd Locks and Dam, Mason County, the third record for this species in West Virginia. On December 17, Matthew Orsie reported a **Eurasian Collared-Dove** first discovered by Tom Masters in Martinsburg, Berkeley County. This is the second state record for this species. Overall, West Virginia birders reported 141 species in the state during the winter, with reports from 36 of West Virginia's 55 counties.

Ducks, Swans, Geese—On January 12, Michael Griffith and David Patick saw four Greater White-fronted Geese at the Gallipolis Ferry gravel ponds in Mason County, where the birds remained through February 9 (DP, WA, MG). On February 27, John Boback saw a Greater White-fronted Goose on the Ohio River in Ohio County. Herb Myers saw his first West Virginia Snow Goose along Rt. 20 near the Harrison-Barbour county line on February 22. Snow Geese also made appearances in Jefferson County (MO, BD), Mason County (MG, WA), Randolph County (RBo), and Tucker County (EH). On January 24, Michael Griffith and Wendell Argabrite found a Ross's Goose at Robert C. Byrd Locks and Dam, Mason County, and on February 22, the two found another Ross's Goose five miles south of Ravenswood, Jackson County. Jon Benedetti reported a Ross's Goose flying over the Ohio River in Pleasants County on January 26. Cackling Geese made numerous appearances in West Virginia this winter, with reports from Cabell (WA,GR), Hardy (CBC), Jefferson (MO), Mercer (JP), Monongalia (JBo), Randolph (RBo), and Taylor (JH, LS) Counties. Reports of Canada Geese were as usual widespread throughout the

state. On February 9, David Patick, Wendell Argabrite, and Michael Griffith saw four **Mute Swans** at McClintic WMA in Mason County, and Gary Rankin saw the birds at the same location the next day. **Tundra Swans** appeared in reports from Barbour County (JBo), Hardy County (DC), Jefferson County (WS, MO), Kanawha County (JWa, DB, HG), Monongalia County (TB), Ohio County (CBC), Preston County (GF, LeJ), Taylor County (TB), and Wood County (CBC). LeJay Graffious saw two vee formations of **Tundra Swans** fly close above his home in Old Hemlock, Preston County, on December 28.

It was a good winter for ducks, with many reports statewide of **Wood Ducks**, Gadwalls, American Wigeons, American Black Ducks, Mallards, Northern Shovelers, Northern Pintails, Green-winged Teal, Canvasbacks, Redheads, Ring-necked Ducks, Lesser Scaup, Buffleheads, Common Goldeneyes, Hooded, Common, and Red-breasted Mergansers, and Ruddy Ducks. There were reports of Blue-winged Teal in Kanawha (CBC), Randolph (SK), and Tucker (KDz) Counties and Greater Scaup in Cabell (GR), Mason (DP, MG, WA, GR), Monongalia (DCo), Randolph (CBC), and Wetzel (TB) Counties. On January 15, David Daniels saw a pair of Surf Scoters on the Tygart River near Arden in Barbour County, and on January 27 Joette Borzik saw a **Surf Scoter** on the Shenandoah River at Harpers Ferry National Historical Park, Jefferson County. John Boback saw a White-winged Scoter at the power plant at Seneca Center, Monongalia County, on February 21; Hillar Klandorf and Derek Courtney saw the bird at that location on the following day. On December 9, John Boback saw 11 Long-tailed Ducks at Cheat Lake, Monongalia County, where Terry Bronson saw a single Long-tailed Duck on January 2. On December 27, James Triplett reported that he and Chuck Wirts found six Common Mergansers at Kanawha Falls, Fayette County, for his first time at that location in 20 years.

Pheasants, Grouse, Turkeys—On January 23, Carol Del-Colle was surprised by a hen **Ring-necked Pheasant** in her yard in Summit Point, Jefferson County. There were reports of **Ruffed Grouse** and **Wild Turkeys** from many counties throughout the state, including many on the tallies of Christmas Bird Counts.

Loons, Grebes—It was a good winter for Common Loons in our state, with numerous reports of the bird from Fayette (DP), Hardy(TB), Jefferson (JF, SS), Kanawha (CBC), Monongalia (JBo, TB), Pleasants (JB, TB, WA), Summers (JJP, DB), Taylor (JH, TB), and Wood (CBC) Counties. It was a good winter for grebes, with plentiful reports of Pied-billed and Horned Grebes throughout the state. The Rednecked Grebe found in November by Terry Bronson off the boat launch at Pleasant Creek WMA in Taylor County was found again by Joseph Hildreth on December 1. On January 24, Jon Benedetti and the Mountwood Bird Club saw a Red-necked Grebe at Middle Island, Pleasants County, where the bird remained at least through the 27th of the month (TB, JB).

Cormorants, Herons, Egrets—Reports of Double-crested Cormorants came from Mason County (ReT, DBe, DP, WA, MG), Monongalia County (TB, CBC),

Pleasants County (RL, JB), Putnam County (GR, WA, MG), and Summers County (JJP). **Great Blue Herons** appeared in lower elevations throughout the state.

Vultures—Reports of Black Vultures came from 10 counties, and Turkey Vultures were mentioned in reports from 19 counties.

Hawks, Eagles—For the second winter in a row, Bald Eagles were reported from 25 counties this winter. On January 12, in their eighth annual Winter Eagle Survey. as reported by James Phillips, 98 volunteers found 27 **Bald Eagles** and five **Golden Eagles** at 21 sites along the New, Greenbrier, and Bluestone Rivers; on Indian Creek; and at Moncove Lake State Park. Northern Harriers, Sharp-shinned Hawks, and Cooper's Hawks appeared in reports from birders throughout the state. Rodney Bartgis saw a Northern Goshawk at Bear Rocks on Dolly Sods, Grant County, on December 3. It was the only reported sighting of this species in West Virginia this winter. Birders in most parts of the state reported **Red-shouldered Hawks** and **Red**tailed Hawks. Rough-legged Hawks appeared in five counties: Grant (FA), Hampshire (CBC), Hardy (CBC, MO, DM, WA, DC), Randolph (RB, RBo), and Tucker (CBC, HMy, DB, TB, FA, DM). In addition to those found by the Winter Eagle Survey, Golden Eagles appeared in five counties: Grant (DM, FA), Greenbrier (CBC), Hardy (CBC), Pendleton (CBC, TB), and Tucker (CBC, FA). Diane Holsinger saw two Northern Harriers, two Rough-legged Hawks and numerous Red-tailed Hawks on Webb Road near Moorefield, Hardy County, on January 6.

Rails, Coots—A Virginia Rail was observed during the Charles Town CBC in Jefferson County on December 15. American Coots appeared in 11 counties this winter.

Cranes—On January 12, Mark Johnson discovered a lone **Sandhill Crane** in Moorefield, Hardy County, and the bird remained at least through February 24 (MO, KKi, HMv, DH, JBz, TB, FA, WA, MG, GR).

Plovers—There were reports of **Killdeer** from 14 counties.

Sandpipers—Just as during last winter, birders in eight counties reported Wilson's Snipes, and American Woodcocks appeared in six counties. On February 24, Wil Hershberger saw American Woodcocks displaying at two locations in Berkeley County.

Gulls, Terns—Small numbers of Bonaparte's Gulls brightened reports from Hardy County (HMy, DH), Kanawha County (HG), Mason County (GR), Randolph County (RBo), Taylor County (TB), Wayne County (WA), Wetzel County (WJ), and Wood County (CBC). Birders reported Ring-billed Gulls in many West Virginia counties. Birders in eight counties reported Herring Gulls, all in small numbers: Cabell (BBo), Jefferson (MO, DHa), Mason (GR, WA, MG), Monongalia (DCo), Pleasants (RL), Raleigh (CBC), Wetzel (WJ, TB), and Wood (CBC, JB).

Pigeons, Doves—Rock Pigeons and **Mourning Doves** continue to reside throughout the state, as reported primarily in Christmas Bird Counts. The **Eurasian Collared-Dove**, reported by Matthew Orsie on December 17, is discussed at the beginning of

these notes.

Owls—Between January 1 and 26, reports of one to four **Barn Owls** came from Moorefield, Hardy County (KKi, DH, JW, CBC, MO, WA, GR, MG). Eleven counties each saw reports of **Eastern Screech-Owls** and **Barred Owls**. Five counties' CBCs reported **Great Horned Owls** (Jefferson, Pendleton, Randolph, Tucker, and Wood). Single **Long-eared Owls** appeared in Monongalia County during the CBC on December 15, and in Dry Fork, Tucker County, to the ears of the author of these notes, on January 12. **Short-eared Owls** near Old Fields, Hardy County, continued to reward birdwatchers this season (KKi, DH, JW, CBC, MO, TB, FA, DM, WA, GR, MG).

Kingfishers—Many West Virginia birders reported **Belted Kingfishers** in 21 counties.

Woodpeckers—Red-headed Woodpeckers appeared in reports from Berkeley County (DM, DSy), Greenbrier County (CBC), Hampshire County (CBC), Hardy County (DC, CBC, FA, MO), Kanawha County (CBC), Monongalia County (CBC), and Pendleton County (CBC). Red-bellied Woodpeckers, Yellow-bellied Sapsuckers, Downy and Hairy Woodpeckers, Northern Flickers, and Pileated Woodpeckers were all subjects of widespread reports in West Virginia over the winter. Gary Felton heard a Yellow-bellied Sapsucker calling repeatedly in his yard in Kingwood, Preston County, on February 4.

Falcons—Many birders reported American Kestrels in most parts of the state. On February 27, Jeff Del Col saw three American Kestrels calling and chasing each other on the Alderson-Broaddus College campus in Phillipi, Barbour County. Christmas Bird Counts in Berkeley and Jefferson Counties reported Merlins on January 5 and December 15, respectively. On January 3, Terry Bronson spotted a Merlin in Morgantown, Monongalia County, and the bird was observed there at least through February 11 (JBo, JH, DCo, TB). James Waggy reported a pair of Merlins at Spring Hill Cemetery, Charleston, in Kanawha County, on January 15 and February 11. Michael Griffith, Wendell Argabrite, and Gary Rankin were surprised by a Merlin on Crab Creek Road, Mason County, on January 19. Reports of Peregrine Falcons came from Jefferson County (DM, DHa, JF, JBz, MO), Mason County (DP, MG, WA, GR), Monongalia County (CBC), Ohio County (JBo), and Wood County (CBC, JB).

Flycatchers—Reports of **Eastern Phoebe** came from 12 counties this winter: Berkeley(CBC), Cabell (ReT), Fayette (DP), Grant (FA), Greenbrier (CBC), Hampshire (CBC), Hardy (CBC, DC), Jefferson (CD, DHa), Monongalia (TB), Pendleton (CBC), Preston (TB), and Raleigh (CBC).

Shrikes—Jon Little found a **Loggerhead Shrike** on North Fork Road near the now-disturbed Candlewood Road location in Jefferson County on January 12, where Joette Borzik found the bird three days later. Frederick Atwood, Herb Myers and Ken Dzaack all reported a **Loggerhead Shrike** at the familiar location on Hogueland Lane, Grant County, during the latter half of February.

Vireos—The Morgantown Christmas Bird Count found a very late White-eyed

Vireo in Monongalia County on December 15.

Crows, Jays, Ravens—Blue Jays, American Crows, and Common Ravens appeared in their usual haunts throughout the state. Fish Crows prompted reports in Berkeley (CBC) and Jefferson (MO, DHa) Counties.

Larks—Reports of **Horned Larks** came from Berkeley County (CBC), Grant County (FA), Jefferson County (JL, MO), Mason County (DP, WA, MG, GR), Monongalia County (DD), Ohio County (CBC), Preston County (GF), and Wetzel County (WJ).

Swallows—On February 17, James and Judy Phillips found nine **Tree Swallows** along the New River between Hinton and Sandstone Falls, Summers and Raleigh Counties. On February 23, Carol Del-Colle saw her first **Tree Swallows** of the year near Rissler Road, Jefferson County, and Rennie Talbert and Randy Urian saw **Tree Swallows** at Greenbottom WMA, Cabell County. Matthew Orsie saw a **Tree Swallow** near Moulton Park in Jefferson County, on February 26. The Lewisburg CBC in Greenbrier County found a lingering **Barn Swallow** on December 30.

Paridae—Birders reported both **Carolina** and **Black-capped Chickadees** in their bifurcated territories throughout West Virginia. **Tufted Titmice** occupied their usual spots in reports from throughout the state.

Nuthatches—**Red-breasted Nuthatches** and **White-breasted Nuthatches** were well-reported throughout the state.

Creepers—Birders in 19 counties reported **Brown Creeper** for the second year in a row of good reports for this species. On January 16, Bruni Haydl reported the best winter season ever for **Brown Creepers** in her yard in Charles Town, Jefferson County.

Wrens—Winter and **Carolina Wrens** appeared in good numbers in reports from all over the state.

Kinglets—This winter **Golden-crowned Kinglets** were familiar sights in most parts of the state. **Ruby-crowned Kinglets** were also well-represented, with reports from Berkeley (CBC), Greenbrier (CBC), Jefferson (CBC), Kanawha (HG), Pendleton (CBC), Summers (JP), and Taylor (JH) Counties.

Thrushes—Eastern Bluebirds, Hermit Thrushes, and American Robins appeared in good numbers in our state this winter, mostly in lower elevations. On February 10, Hullet Good watched an Eastern Bluebird couple inspecting a bird box in his yard in Milliken, Kanawha County.

Mockingbirds, Thrashers—On December 18, the Pendleton County Christmas Bird Count once again located a **Gray Catbird**, and the Hardy County Christmas Bird Count found three **Gray Catbirds** on January 2. West Virginians reported many **Northern Mockingbirds** over the winter season. **Brown Thrashers** appeared in Christmas Bird Counts in Berkeley, Greenbrier, Hampshire, and Tucker Counties. Cabell County hosted **Brown Thrashers** as well, with reports in December and January by Dee and Tom Igou, and Rennie Talbert, respectively.

Starlings—**European Starlings** continued their widespread occupation of habitats throughout our state.

Pipits—American Pipits made appearances in eight counties: Berkeley (CBC), Greenbrier (CBC), Hardy (DC), Jefferson (JL, DHa, DM, JBz,), Mason (DP, MG, WA), Monongalia (JBo, DD), Randolph (RBo), and Wetzel (WJ, JB).

Waxwings—Cedar Waxwings were somewhat scarce in West Virginia this winter, with reports only from Berkeley (CBC), Grant (FA), Greenbrier (CBC), Hampshire (CBC), Hardy (CBC), Jefferson (BH, DHa, CBC, JBz, LW), Monongalia (TB, CBC), Ohio (CBC), and Randolph (CBC) Counties.

Longspurs, Buntings—The Charles Town Christmas Bird Count in Jefferson County found a **Lapland Longspur** on December 15. Frederick Atwood found a **Lapland Longspur** on Hogueland Lane in Grant County on February 18, and Herb Myers and Matthew Orsie found the bird again on February 19 and 23, respectively.

Warblers—Rennie Talbert and Deborah Beutler both reported a **Palm Warbler** at Robert C. Byrd Locks and Dam, Mason County, on January 13. The Pendleton County Christmas Bird Count found its first **Pine Warbler** on December 18. James Phillips saw the first **Pine Warbler** reported in West Virginia in 2013, at his feeders in Pipestem, Summers County on February 21. Birders in lower elevations saw Myrtlerace **Yellow-rumped Warblers** at locations throughout the state.

Towhees, Sparrows, Juncos—Eastern Towhees made their usual appearances in many parts of the state. In addition, American Tree, Chipping, Field, Fox, Song, Swamp, White-throated, and White-crowned Sparrows, as well as Dark-eyed Juncos, appeared widely. Savannah Sparrows appeared in reports from Berkeley (CBC, JBz), Grant (FA), Hardy (CBC, DH), Jefferson (JBz, MO, WS, DHa), and Mason (DP, MG, ReT, DBe, WA, GR) Counties. The Le Conte's Sparrow found by Michael Griffith and David Patick at Robert C. Byrd Locks and Dam, Mason County, is discussed at the beginning of these notes. On December 2, Joette Borzik found a Lincoln's Sparrow at Harpers Ferry National Park, Jefferson County. Cynthia Ellis reported on January 7 that from one to five White-crowned Sparrows had been visiting her feeders since mid-October.

Cardinals and Grosbeaks—Birders throughout the state reported Northern Cardinals in good numbers. The Morgantown Christmas Bird Count recorded a late Indigo Bunting on December 15.

Blackbirds—Many reports of Red-winged Blackbirds, Eastern Meadowlarks Rusty Blackbirds, Common Grackles, and Brown-headed Cowbirds came from areas all over the state. On February 16, Deborah Hale reported that a Common Grackle had reappeared at her feeder in Harpers Ferry, Jefferson County, on exactly the same day as the year before.

Finches and Allies—This winter saw reports of many northerly finches in a number of locations in West Virginia. Feeders in most parts of the state saw the usual visits from Purple Finches, House Finches, Pine Siskins, and American Gold-

finches, although **Pine Siskin** reports were more sporadic than usual. **Red Crossbills** made appearances in Berkeley (TM, MO, CBC) and Summers (JP) Counties, and **White-winged Crossbills** prompted reports from Hardy (DC), Kanawha (JBT), Marion (DCo, TB, HMy, SO, JH, JoH), Ohio (CBC), Randolph (RB), Tucker (CBC), Wayne (WA, MG), and Wood (JB, DJE) Counties. Reports of **Common Redpolls** came from Barbour (TB), Jefferson (MO), Marshall (TB), Randolph (HMy, MO, WA, MG, FA), Summers (JP), Tucker (CBC, HMy, TB, CR, KDz), and Wetzel (WJ) Counties. Birders reported **Evening Grosbeaks** in Hardy (KKi), Preston (GF), Randolph (RB), Summers (MK), Tucker (CR, CBC, JBz, HMy, TB, FA, DM, WA, MG, GR, KDz), and Wetzel (WJ) Counties. On January 13, Wilma Jarrell observed a **Purple Finch**, a **Common Redpoll**, and **American Goldfinches** at her feeders in Wileyville, Wetzel County.

Weaver Finches—The **House Sparrow** continues throughout the state, primarily in urban settings.

Contributors to the Winter Field Notes: Wendell Argabrite (WA), Frederick Atwood (FA), Rodney Bartgis (RB), Jon Benedetti (JB), Deborah Beutler (DBe), John Boback (JBo), Randy Bodkins (RBo), Ben Borda (BBo), Joette Borzik (JBz), Terry Bronson (TB), Doren Burrell (DB), David Carr (DC), Derek Courtney (DCo), David Daniels (DD), Robert Dean (BD), Carol Del-Colle (CD), Ken Dzaack (KDz), Richard and Jeannette Esker (DJE), James Farley (JF), Gary Felton (GF), Hullet Good (HG), LeJay Graffious (LeJ), Michael Griffith (MG), Deborah Hale (DHa), Bruni Haydl (BH), Joey Herron (JoH), Joseph Hildreth (JH), Elizabeth Hole (EH), Diane Holsinger (DH), Wilma Jarrell (WJ), Marjorie Keatley (MK), Stephen Kimbrell (SK), Kathy King (KKi), Robert Lane (RL), Jon and B. J. Little (JBL), Tom Masters (TM), Herb Myers (HMy), David Myles (DM), Susan Olcott (SO), Matthew Orsie (MO), David Patick (DP), James Phillips (JP), James and Judy Phillips (JJP), Gary Rankin (GR), Casey Rucker (CR), Sandy Sagalkin (SS), Larry Schwab (LS), N. Wade Snyder (WS), Diane Sylvester (DSy), Rennie Talbert (ReT), James Triplett (JBT), James Waggy (JWa), Jane Whitaker (JW), and Lynn Wiseman (LW).

P.O. Box 2 Seneca Rocks, WV 26884 autoblock@frontiernet.net

Erratum

On page 76 of the April 2013 issue of *The Redstart* (Vol. 80, No. 2) in the article "2012 Floyd Bartley Memorial Award Announced," the table lists the year that Joey Herron most recently won the Award as 2012. Herron was awarded the Floyd Bartley Award in 2011, not 2012.

PATRONIZE YOUR CLUB STORE

ORNITHOLOGICAL BOOKS

Birding Guide to West Virginia 2nd edition, compiled by Greg E. Eddy	\$10.00	
Emily Grafton	\$9.95	
Birds of the Kanawha Valley by J. Lawrence Smith		
The West Virginia Breeding Bird Atlas by A.R. Buckelew Jr		
and George A. Hall	\$23.75	
West Virginia Birds by George Hall	\$20.00	
All issues of <i>The Redstart</i> 1933-2008 on one searchable CD	\$10.00	
All issues of <i>The Mail Bag</i> 1943-2011 on one searchable CD	\$10.00	
BBC archived photographs and other materials on DVD		
SPECIAL BBC PUBLICATIONS		
No. 1, 1986 Birds of the Lower Ohio River Valley in West Virginia		
by Kiff, Igou, Slack, and Wilson	\$1.00	
No. 2, 1990 Endangered and Threatened Species in West Virginia		
edited by A.R. Buckelew Jr.	\$1.00	
No. 3, 2007 The Allegheny Front Migration Observatory: A Long-term Bird		
Banding Project, by George A. Hall	\$2.50	

Add \$3.50 for postage per order. West Virginia residents add 6% sales tax per order.

REDSTART EDITORIAL POLICY

Original papers in the field of natural history are published in *The Redstart*. Papers are judged on the basis of their contributions to original data, ideas, or interpretations. Scientific accuracy and clarity are most important, and to this end, an advisory board, selected by the editorial staff, will review submitted papers as needed. Papers should be submitted in Word, by e-mail if possible, to jbuckelew@bethanywv.edu or on a CD and sent to the editor; otherwise, papers should be typewritten, double-spaced on one side of the paper only, and sent to the editor at 111 Logan Ct., Bethany, WV 26032.

BROOKS BIRD CLUB MEMBERSHIP

The Brooks Bird Club, Inc. is a nonprofit organization whose objective is to encourage the study and conservation of birds and other phases of natural history. Membership includes subscriptions to *The Redstart* and *Mail Bag* and entitles one to all the privileges offered by the Club. Classes of membership are Student, \$10; Individual, \$25; Family, \$30; Sustaining, \$50; Life, \$500; Family Life, \$650. Checks should be written payable to The Brooks Bird Club and mailed to P.O. Box 4077, Wheeling, WV 26003.

2013 Calendar of Events The Brooks Bird Club, Inc.

Date	Activity	сe	
January	BBC Membership Month	V	
February	Write an article for the Mail Bag or The Redstart mail to edito	rs	
February 7-9	Trip to Killdeer Plains (Contact Gene Hilton 304-428-8641)		
March 8-10	Mid-Winter Meeting (Contact Dick Esker)	Р.	
March 16	Waterfowl Field Trip (day trip) (Contact Carl Slater) Seneca Lake, O	Н	
April 21	3 Rivers Bird Club (day trip) (Contact Ryan Tomazin) Raccoon Cree State Park, PA	ek	
May 4	International Migratory Bird Day, N. American Migration Count loc chapters	al	
May 9-12	Wildflower Pilgrimage Blackwater Falls State Park, W	V	
May 14-29	Spain Trip		
June 1-8	Foray - Pocahontas County 4-H Camp Thornwood, W	V	
June 10-16	Sortie - to be announced. (Contact Dawn Fox) Pendleton Co., W	V	
July	TBA Bonus Bird Weekend (Contact Carl Slater)		
August 10-Oct. 5	Bird Banding Dolly Sods, W		
October 12	Board of Trustees Meeting (Contact Carl Slater) Wheeling, W		
October 18-20	BBC Reunion	rk	
November 6-10	Eastern Shore (Contact Carl Slater)		
Dec. 14-Jan. 5, '14	Christmas Bird Counts (Send reports to Jane Whitaker) local group	ρs	
BBC FORAYS (dates and places tentative)			
2013	Pocahontas County 4-H Camp Thornwood, W	V	
2014	Camp Pioneer, Randolph County Beverly, W	V	
2015	Camp Galilee, Preston County Terra Alta, W	V	
SEASONAL FIELD NOTES DUE			
Winter: March 15 MAIL TO: Casey Ruc	Spring: June 15 Summer: September 15 Fall: December 1 ker, P.O. Box 2, Seneca Rocks, WV 26884 autoblock@frontiernet.n		
unitotion (minimum time)			
ARTICLES FOR THE MAIL BAG DUE			

February 15 May 15 August 15 November 15 MAIL TO: Ryan Tomazin, 348 Station St., Apt. 7, Bridgeville, PA 15017 wwwarblers@hotmail.com

http://brooksbirdclub.org

The dates for the 2013 BBC program may be changed if necessary. Changes will be announced on the Web page or in *The Mail Bag*.

CONTACT INFORMATION

Cynthia Ellis, cdellis@wildblue.net
Peter's Mtn. www.hangingrocktower.org
Dick Esker, eskerrb@frontier.com

Dawn Fox, trfox@wirefire.com Juanita/Carl Slater, gusind@stratuswave.net A. R. Buckelew Jr., jbuckelew@bethanywv.edu

The Brooks Bird Club

P.O. Box 4077 Wheeling, WV 26003

Nonprofit Org. U.S. POSTAGE PAID Wheeling, WV Permit No. 593